



- NOTES**
1. This drawing is copyright
 2. Do not scale off this drawing
 3. All levels and dimensions to be checked on site before any building work commences
 4. Any discrepancies to be reported to the office of the consultant
 5. All work to be strictly in accordance with the standard specifications and notes
 6. This drawing is to be read in conjunction with specifications and all other relevant drawings
 7. Walls below 200mm thick to be reinforced with hoop iron at every alternate course
 8. Depth of foundations to be decided on site
 9. pv denotes permanent air vents over doors and windows as shown on drawings
 10. A single layer of 3-ply bituminous felt to be provided between masonry and r.c. work
 11. Drain pipes passing under tarmac, driveways, and buildings to be encased in 150mm thick concrete surround
 12. All reinforced concrete work to Structural Engineer's drawings
 13. All sanitary works to the entire satisfaction of MoH
 14. All roads, storm water drainage and foul sewerage to Civil Engineer's drawings
 15. Foundation and floor slabs to be retained as is except for portion with new works.

Rev.	Date	Description

revisions:

COUNTY GOVT. OF KERICHO

Client Dept:
**TRADE, INDUSTRIALIZATION,
COOPERATIVE MANAGEMENT,
TOURISM & WILDLIFE**

Job Title
**KEDOWA-KIMUGUL MARKET
PROPOSED MARKET STALLS**

Consultant Dept:
**LANDS, PHYSICAL PLANNING
AND HOUSING
HOUSING UNIT**

Drawing Name
**LAYOUT PLANS, ELEVATIONS,
SECTIONS AND DETAILS DRAWINGS.**

Drawn by N. GENO	Checked by ENG. ORORA
Date 2/5/2020	Scale on A1 1:100 1:200 1:500

Drawing title:	Drawing no. L(31)SSP/C/18/09
	Sheet no.